

INTERFERENCE SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((initializ\$5 near3 device\$1) and ((call\$3 or launch\$3 or invok\$3 or start\$3 or provid\$3) near3 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))) and ((determin\$5 or decid\$3 or identif\$8) near6 ((config\$6 or call\$4) near2 interface\$1))).clm.	US-PGPUB	OR	OFF	2006/02/13 18:09
L2	0	((initializ\$5 near3 device\$1) and ((call\$3 or launch\$3 or invok\$3 or start\$3 or provid\$3) near3 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))) and ((chang\$3 or modif\$8 or alter\$6) near6 ((device\$1 or module\$1 or peripheral\$1 or adapter\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information)))).clm.	US-PGPUB	OR	OFF	2006/02/13 18:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17416	(chang\$3 or modif\$8 or alter\$6) near6 ((device\$1 or module\$1 or peripheral\$1 or adapter\$1 or adaptor\$1) near3 (config\$6 or parameter\$1 or value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:13
L2	350	1 same (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:56
L3	136	1 with (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:42
L4	14	2 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:16
L5	5	3 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:00
L6	0	4 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:54
L7	1	2 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:14
L8	0	3 with ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:50
L9	0	4 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:02
L10	0	5 with ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:02

L11	2	2 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:04
L12	0	3 with ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:03
L13	297	1 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:42
L14	136	1 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:03
L15	0	13 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:03
L16	0	13 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:08
L17	256058	(stor\$3 or hold\$3 or contain\$3) near6 ((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:19
L18	15	17 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:18
L19	8	17 with ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:23
L20	0	18 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:17

L21	2	17 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:08
L22	5153	17 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:15
L23	1995	17 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:17
L24	1	22 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:22
L25	0	22 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:55
L26	31650	((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:38
L27	1549	((stor\$3 or hold\$3 or contain\$3) near6 ((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information)) same (((nonvolatile or (non adj volatile)) adj memory) or ROM or (read adj only adj memory) or PROM or EPROM or EEPROM or flash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:21
L28	1409	((stor\$3 or hold\$3 or contain\$3) near6 ((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information)) with (((nonvolatile or (non adj volatile)) adj memory) or ROM or (read adj only adj memory) or PROM or EPROM or EEPROM or flash)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:22
L29	75	26 and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:32

L30	65	26 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:22
L31	114	((extensible adj firmware adj interface) or EFI).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:43
L32	0	29 and 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:22
L33	67	((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:35
L34	0	29 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:23
L35	7	31 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:23
L36	1	"5999989".PN.	USPAT; USOCR	OR	OFF	2006/02/13 13:27
L37	1	"6081890".PN.	USPAT; USOCR	OR	OFF	2006/02/13 13:27
L38	4	(legacy adj support).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:32
L39	47526	(boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:33
L40	6	29 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:33

L41	6	30 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:34
L42	50	39 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:35
L43	1	42 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:35
L44	2	26 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:39
L45	142049	(retriev\$3 or access\$3 or read\$3 or get\$4) near6 ((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:44
L46	3970	45 same (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:16
L47	1665	45 with (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:42
L48	61	46 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:45
L49	5	47 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:43
L50	0	48 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:46

L51	6955	((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information)) near6 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:45
L52	6966	((device\$1 or module\$1 or peripheral\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information)) near6 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:31
L53	3	52 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:23
L54	0	("6938243").URPN.	USPAT	OR	OFF	2006/02/13 13:47
L55	28	("5157781" "5210855" "5490252" "5768541" "5781744" "5781798" "5805796" "5875293" "5896494" "5954796" "5963743" "5964891" "5991543" "5995757" "6002868" "6006344" "6058055" "6101617" "6134615" "6275931" "6304839" "6311321" "6363452" "6686838" "6704827" "6732262" "6772249" "6782541").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 13:47
L56	1	52 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:04
L57	32	((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1)) same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:07
L58	19	((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1)) with ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:14

L59	1	57 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:05
L60	3	57 same (((nonvolatile or (non adj volatile)) adj memory) or ROM or (read adj only adj memory) or PROM or EPROM or EEPROM or flash) or ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:06
L61	13	52 same (during near6 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS or POST))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:17
L62	7	52 with (during near6 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS or POST))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:19
L63	12	52 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:21
L64	3	52 with legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:20
L65	11	((extensible adj firmware adj interface) or EFI) near3 ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:29
L66	5	("20020188837" "5136713" "5948076" "6425079" "6725178").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 14:25
L67	0	("6971003").URPN.	USPAT	OR	OFF	2006/02/13 14:28
L68	1	((extensible adj firmware adj interface) or EFI) and Adaptec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:55

L69	7123	((device\$1 or module\$1 or peripheral\$1 or hardware) near3 (config\$6 or parameter\$1 or value\$1 or data or information)) near6 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:51
L70	8	69 and Adaptec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
L71	46813	(chang\$3 or modif\$8 or alter\$6) near6 ((device\$1 or module\$1 or peripheral\$1 or adapter\$1 or adaptor\$1 or hardware) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:34
L72	1248	71 same (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS or POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:54
L73	509	71 with (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or BIOS or POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:35
L74	36	72 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:49
L75	6	73 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:36
L76	8	((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM) same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:50
L77	0	("6961791").URPN.	USPAT	OR	OFF	2006/02/13 14:45
L78	6	("20030051114" "20030083761" "20030097581" "6317828" "6356965" "6513114").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 14:45

L79	4	((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM) with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:53
L80	157899	(display\$3 or show\$3 or present\$3) near6 ((device\$1 or module\$1 or peripheral\$1 or hardware) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:04
L81	5413	80 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:53
L82	3184	80 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:53
L83	1	81 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:00
L84	0	81 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01
L85	103	81 same (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:57
L86	11	81 same (during near6 ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:59

L87	0	82 with (during near6 ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:58
L88	73	80 same (during near6 ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01
L89	34	80 with (during near6 ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:00
L90	0	88 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:03
L91	0	88 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01
L92	0	88 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:03
L93	680	80 same ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01
L94	358	80 with ((device\$1 or module\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (boot\$3 or reboot\$1 or initializ\$5 or (pre adj boot\$3) or ((initial adj program adj load) or IPL) or startup or (start adj up) or POST))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01

L95	1	93 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:01
L96	0	93 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:16
L97	1	93 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20
L98	178427	(display\$3 or show\$3 or present\$3) near6 ((device\$1 or module\$1 or peripheral\$1 or hardware or component\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:13
L99	111	98 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:16
L100	21	98 same (legacy near2 (device\$1 or module\$1 or peripheral\$1 or hardware or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:16
L101	16	98 with (legacy near2 (device\$1 or module\$1 or peripheral\$1 or hardware or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:11
L102	22272	automatic\$4 near6 ((device\$1 or module\$1 or peripheral\$1 or hardware or component\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:13
L103	59434	(chang\$3 or modif\$8 or alter\$6) near6 ((device\$1 or module\$1 or peripheral\$1 or adaptor\$1 or hardware or component\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:21

L104	3557	103 same (automatic\$4 or default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:15
L105	1839	103 with (automatic\$4 or default)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:15
L106	755	((automatic\$4 or default) near3 (chang\$3 or modif\$8 or alter\$6)) near6 ((device\$1 or module\$1 or peripheral\$1 or adapter\$1 or adaptor\$1 or hardware or component\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:16
L107	0	106 same (legacy near2 (device\$1 or module\$1 or peripheral\$1 or hardware or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:25
L108	0	106 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:17
L109	0	106 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20
L110	8	104 same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:17
L111	1	105 with legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:19
L112	0	104 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20

L113	0	104 same ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20
L114	51840	(device\$1 or module\$1 or peripheral\$1 or component\$1 or hardware) near6 ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:27
L115	34	114 same (legacy near2 (device\$1 or module\$1 or peripheral\$1 or hardware or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:25
L116	11	114 with (legacy near2 (device\$1 or module\$1 or peripheral\$1 or hardware or component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:25
L117	15	114 same ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:52
L118	9	114 with ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:37
L119	0	(automatic\$4 near6 configur\$6) same (((extensible adj firmware adj interface) or EFI) near3 compatible)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:39
L120	2	((extensible adj firmware adj interface) or EFI) near3 (compatible near2 (device\$1 or component\$1 or peripheral\$1 or module\$1 or hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:41
L121	3	((((extensible adj firmware adj interface) or EFI) near3 compatible) near6 (device\$1 or component\$1 or peripheral\$1 or module\$1 or hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:00

L122	217084	(display\$3 or output\$4 or present\$3 or show\$3) near6 ((device\$1 or peripheral\$1 or hardware or adapter\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:49
L123	5955	122 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:50
L124	225296	(display\$3 or output\$4 or present\$3 or show\$3 or expand\$3 or extract\$3) near6 ((device\$1 or peripheral\$1 or hardware or adapter\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:54
L125	6016	124 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:56
L126	3427	124 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:50
L127	6	125 same ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:56
L128	2	126 with ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:52
L129	226407	(display\$3 or output\$4 or present\$3 or show\$3 or expand\$3 or extract\$3) near6 ((device\$1 or peripheral\$1 or hardware or adapter\$1) near3 (config\$6 or parameter\$1 or value\$1 or data or information or option\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:54
L130	6183	129 same ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:56

L131	3519	129 with ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj (menu\$2 or utilit\$3)) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:57
L132	6	130 same ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:56
L133	2	131 with ((pre adj boot\$3) or ((prior or before) near2 (boot\$3 or load\$3) near2 ((operating adj system) or OS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:57
L134	6	129 same (legacy near2 support\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:58
L135	0	129 same (((extensible adj firmware adj interface) or EFI) near3 compatible)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:02
L136	3	129 same ((extensible adj firmware adj interface) or EFI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:01
L137	20	((extensible adj firmware adj interface) or EFI) near3 ((read adj only adj memory) or ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:07
L138	5	137 same (detect\$1 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:04
L139	30	((extensible adj firmware adj interface) or EFI) near6 ((read adj only adj memory) or ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:09
L140	8	(Mahmoud and Fadi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:09

L141	29	(US-20040123019-\$ or US-20040193738-\$ or US-20030107600-\$ or US-20030115443-\$ or US-20030132956-\$ or US-20030005272-\$ or US-20040193860-\$ or US-20020052910-\$ or US-20040230785-\$).did. or (US-6263378-\$ or US-6721883-\$ or US-6401140-\$ or US-6317828-\$ or US-5999989-\$ or US-6081890-\$ or US-6938243-\$ or US-6311321-\$ or US-6889340-\$ or US-6971003-\$ or US-6425079-\$ or US-6961791-\$ or US-6513114-\$ or US-6356965-\$ or US-6460093-\$ or US-6292848-\$ or US-6014714-\$ or US-6178503-\$ or US-6567911-\$ or US-6061745-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/02/13 16:38
L142	4	141 and 139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:39
L143	16	141 and ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:14
L144	4	143 and ((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	501	((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:54
L2	7	((extensible adj firmware adj interface) or EFI) near6 ((read adj only adj memory) or ROM) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:54
L3	3	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:54
L4	45	((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:55
L5	7	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:48
L6	0	((discover\$3 or determin\$5 or detect\$3) near6 ((extensible adj firmware adj interface) or EFI) near6 ((read adj only adj memory) or ROM)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56
L7	10	((discover\$3 or determin\$5 or detect\$3) near6 ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)) and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56
L8	2	7 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:53
L9	335	((device adj manager) or (config\$6 adj utility) or (((setup or (set adj up)) or config\$6 or user) adj menu\$2) or (user adj interface\$1)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:54
L10	7	((extensible adj firmware adj interface) or EFI) near6 ((read adj only adj memory) or ROM) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:54

L11	5	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56
L12	74	((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:55
L13	13	9 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:55
L14	0	((discover\$3 or determin\$5 or detect\$3) near6 ((extensible adj firmware adj interface) or EFI) near6 ((read adj only adj memory) or ROM)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56
L15	29	((discover\$3 or determin\$5 or detect\$3) near6 ((option adj ((read adj only adj memory) or ROM)) (opt adj ROM) or OPROM or OPTROM)) and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56
L16	7	9 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 17:56